
NOTICE

Seller guarantee shall be limited to the terms of the label, and subject thereto, the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



Phase 2-List C Response 1/4/90

Page 1 Front Panel

Imperial

AQUEOUS FOOD PLANT PYRENONER FOOGING INSECTICIDE

A Concentrated PYRENONER Micro Emulsion -- CLEAR

--STABLE

--LEAVES NO OILY OR OBJECTIONABLE RESIDUE
Designed for Use in Edible Product Areas of Official Establishments
Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products
Inspection Programs, and in Other Food Processing Plants.

Apply with Conventional, Mechanical, or Compressed Air Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS:	92.5%
Petroleum Distillate	2.0%
TOTAL	100.0%

^{*} Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% related compounds

R Pyrenone is a registered trademark of FMC Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MET CONTENTS 1 GALLON

EPA Reg. No. 407-357
EPA Est. 407-IA-1

MANUFACTURED BY
IMPERIAL INC.
SHENAMDOAH, IA 51601

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry, secure area away from fertilizer, food or feed. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered curing treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Close windows and doors and shut off ventilating systems. Use a non-thermal fogger or vaporizor adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flies, including fruit flies, mosquitoes, silver fish, flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, hornets, clover mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw toothed grain beetles, spider beetigs; cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterannean flour moths, Indian meal moths, Tobacco moths, meal worms, and grain mites.